



Technology From Siemens



SIEPAN 8PU Low Voltage Switchboards Technology by Siemens

PCC, IMCC, Draw-out MCCs, APFC Solutions



Siemens 8PU design for low voltage switchboards has become an industry benchmark with proven performance for the past many decades.

Designed to operate in challenging conditions of high ambient & dust 8PU low voltage switchboards have been patronized by various segments like cement, steel, refinery, oil & gas, pharma, F&B, data centres, hospitals & hotels, metro-rail projects having deployed more than 100,000 LV switchboards for maximum reliability and performance.

This proven technology from Siemens for SIEPAN 8PU® LV Switchboards is now also available in Sri Lanka.

Customer benefits at a glance:


- Siemens innovation & technology
- Maximum reliability in protection of your plant and equipment
- Maximum safety for operating personnel
- Suited for the most arduous site conditions
- Compact and space saving

Highlights:

- Conformance to Type Tested assemblies (TTA)
- Conformance to Seismic withstand upto Zone V
- Conformance to Internal Arc Containment (IAC)
- Fully compartmentalized, bolted & modular design for PCC & MCC
- Non-compartmentalized drive control panels
- Non-compartmentalized APFC panels

Range:

- Power control centres
- Communication capable intelligent power control centres (IPCCs)
- Withdrawable motor control centres with patented Alstan® bus-bar technology
- Energy management PCCs for Plant & Building
- Motor control centres Fuseless and with Fuse
- Intelligent motor control centres (IMCCs)
- Integrated PMCCs for Ethernet connectivity
- Automatic power factor correction panels
- All variants available with a choice of aluminum and copper for bus-bars
- Degree of ingress protection upto IP 54 for all ratings



SIEPAN 8PU – Range & dimensions at a glance

Brand and Technology nameplates

SIEPAN 8PU LV switchboards manufactured by DIMO comes with brand and technology nameplates affixed to the switchboards qualifying them for top class design innovation from Siemens.



SIEPAN 8PU brand nameplate

LV switchboard SIEPAN 8PU:

Technical Data

DIMO's manufacturing capability with Siemens technology offers best solutions, quality & reliability.



Technology nameplate

Conformance to standards	IEC 61439
Internal Arc Containment	IEC 61641
Short circuit withstand (Icw) - main bus	65kA / 1sec / 143kA peak
Short circuit withstand (Icw) - neutral	39kA / 1sec / 82kA peak
Short circuit withstand (Icw) - earth	39kA / 1sec / 82kA peak
Degree of protection (IP)	IP 4X, 5X, X3, X4
Ambient temperature	40° C / 45° C / 50° C
Temperature rise	As per IEC 61439 -2
Seismic conformance test	Zone III & V
Rated insulation voltage	upto 1000V
Rated operational voltage	upto 690V
Rated impulse withstand	8kV
Main busbar rating	upto 5000A
Busbar execution	Interleaved / non-Interleaved
Busbar options	Copper / aluminium
Infeed termination	Cable / bus ways / busduct
Infeed entry	Top / bottom
Cable feeder access	Front / rear*
ACB cubicle	Single tier
Form of seperation	upto form 4B
Standard height	2300mm
Standard depth	1120mm / 560mm
Standard colour shade	RAL 7035
*ACR Compartment - Only Rear access	

*ACB Compartment - Only Rear access

SIEPAN 8PU is totally type tested (TTA) for its design reliability as per IEC 61439

Type tests:

- 1. Verification of temperature rise limits
- 2. Verification of di-electric properties
- 3. Verification of short-circuit withstand
- 4. Verification of continuity of protective circuit
- 5. Verification of clearances and creepage distance
- 6. Verification of mechanical operation
- 7. Verification of degree of protection

Special test

- 1. Verification of seismic withstand for zone III / V
- 2. Verification of internal arc containment (IAC)

Routine tests:

- 1. Inspection of wiring and electrical operation
- 2. Verification of insulation
- 3. Verification of protective measures and continuity of protective circuits
- 4. Verification of insulation resistance



DIMO LOW VOLTAGE POWER & CONTROL PANEL SOLUTIONS

I SIEPAN 8PU

Manufacturing location:

- DIMO Logistics Center, Kirindiwela Road, Weliweriya, Sri Lanka.
- Sales office (Sri Lanka):
- § 36, Kynsey Road, Colombo 08, Sri Lanka.

IF SIEPAN 8

EE

B Hotline: +94 770 082 082 / +94 77 356 7637

S Land line: +94112 449 797

Sales office (Maldives):

- Address: Irufuheyge, Maaveyo Magu, Male, Maldives
- B Hotline: +960 788 2845
- S Land line:
- 🗠 dimo@dimolanka com
- DIMOEngineeringSolutions
- www dimolanka com
- Diesel & Motor Engineering PLC

ELECTRICAL SOLUTION

